



Product Change Notification / SYST-13OROD910

Date:

15-Jul-2021

Product Category:

USB Hubs

PCN Type:

Document Change

Notification Subject:

Data Sheet - USB5816 - 6-Port USB 3.2 Gen 1 SmartHub IC with Support for a Single USB Type-C DFP
Data Sheet Document Revision

Affected CPNs:

[SYST-13OROD910_Affected_CPN_07152021.pdf](#)
[SYST-13OROD910_Affected_CPN_07152021.csv](#)

Notification Text:

SYST-13OROD910

Microchip has released a new Product Documents for the USB5816 - 6-Port USB 3.2 Gen 1 SmartHub IC with Support for a Single USB Type-C DFP of devices. If you are using one of these devices please read the document located at [USB5816 - 6-Port USB 3.2 Gen 1 SmartHub IC with Support for a Single USB Type-C DFP](#).

Notification Status: Final

Description of Change:

- 1) Title on cover: Updated title by adding "SmartHub™ IC"
- 2) Figure 8-1, Figure 8-3, Figure 8-4: (a) Updated figures. (b) Updated USB 3.1 to USB 3.2 throughout the document.
- 3) Table 10-3 • Updated Power Numbers: Reset, No VBUS and Global Suspend
- 4) Cover: (a) Added new Highlight bullet/sub-bullets regarding USB-IF ECN support (Revision C or newer only).

(b) Added sub-bullet under PHYBoost: "USB 2.0 Hi-Speed disconnect threshold adjust (Revision C or newer only)"

5) Section 1.2, Reference Documents: Updated USB specification reference.

6) Section 3.0, Pin Descriptions: (a) Removed GPIO10 and GPIO72 from pins 21 and 22. Replaced with NC (No Connect).

(b) Removed GPIO16 from pin 24.

7) Section 9.0, Compliance: Update Added new compliance update section.

8) Section 10.1, Absolute Maximum Ratings*: Updated HBM ESD Performance to 2.5 kV

9) Product Identification System: (a) Added "C" to part number ordering codes/examples.

(b) Added note 2: Devices prior to silicon revision C do not include upgrades described in Chapter 9: Compliance Updates.

(c) Added direction of unreeling diagram

10) Section 8.7.2.1, Enabling Port Splitting, Table 8-7:

(a) Updated procedure with additional step to set the global Port Split enable bit in the Global Port Split Enable Register.

(b) Added Global Port Split Enable Register definition.

Impacts to Data Sheet: None

Reason for Change: To Improve Productivity

Change Implementation Status: Complete

Date Document Changes Effective: 15 Jul 2021

NOTE: Please be advised that this is a change to the document only the product has not been changed.

Markings to Distinguish Revised from Unrevised Devices: N/A

Attachments:

USB5816 - 6-Port USB 3.2 Gen 1 SmartHub IC with Support for a Single USB Type-C DFP

Please contact your local **Microchip sales office** with questions or concerns regarding this notification.

Terms and Conditions:

If you wish to receive Microchip PCNs via email please register for our PCN email service at our **PCN**

[home page](#) select register then fill in the required fields. You will find instructions about registering for Microchips PCN email service in the [PCN FAQ](#) section.

If you wish to change your PCN profile, including opt out, please go to the [PCN home page](#) select login and sign into your myMicrochip account. Select a profile option from the left navigation bar and make the applicable selections.

Affected Catalog Part Numbers (CPN)

USB5816-I/KD

USB5816/KD

USB5816C-I/KD

USB5816C-I/KDH02

USB5816C/KD

USB5816C/KDH01

USB5816C/KDH02

USB5816CT-I/KD

USB5816CT-I/KDH02

USB5816CT/KD

USB5816CT/KDH01

USB5816CT/KDH02

USB5816T-I/KD

USB5816T/KD