ASSOCIATION CONNECTI ELECTRONICS INDUSTRI	Material Composit © Copyright 2005. IPC, international and Pan-Ar	Bannockb	urn, Illinois. A	ll rights reserved un ntions.	nder both	This docume level parts, t	ent is a declara he declaration	ion of the sencompass	substances es all lowe	within the manufacture of level materials for w	rer listed which the i	item. Note: i nanufacturer	f the item is an as has engineering	sembly with lower responsibility.	
1752-21.1					Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ials and N	als and Mfg Information			
Supplier Inform	mation														
Company name*			Company unique ID				Unique ID Authority					Response Date*			
onsemi											2023-00	2023-06-08			
Contact Name		Title - Contact				Phone - Contact*				Email -	Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative				Phone - Representative*				Email - Representative*				
Product-Env-Stew	vards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Reques	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	Date Version Manufacturing Site			Weight*	UOM	Unit Type		
		LC75890W-2H LC		LCD Display Driver			2023-06-08		1	РНМ		200.0	mg	Each	
Manufacturing	g Proccess Information	1													
Terminal Plating / Grid Array Material Ter			erminal Base Alloy J-STD-020 MSL		L Rating	Peak Process Body Temperature		re Max Time at Peak	Tempera	ture Numb	er of Reflow Cyd	les			
contains Bi CU			U Alloy 3			<b>260</b> C		30	seco	nds 3					
Comments															
ATTENTION: MS	SL 3 Rated item requires Ba	ike and D	ry Pack (after	electrical test)											
For more informat	tion regarding material com	position p	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.01	mg	Supplier	Silicon (Si)	7440-21-3		1.9997	mg
			Supplier	Polyimide	Proprietary Data		0.0103	mg
Die Attach	0.5	mg	Supplier	Silver (Ag)	7440-22-4		0.3402	mg
			Supplier	Epoxy resins	129915-35-1		0.1446	mg
			Supplier	Other Metal Oxide	Proprietary Data		0.0109	mg
			В	Antimony Pentoxide (Sb2O5)	1314-60-9		0.0043	mg
Lead Frame	67.8	mg	Supplier	Silver (Ag)	7440-22-4		1.078	mg
			Supplier	Zinc (Zn)	7440-66-6		0.1288	mg
			Supplier	Iron (Fe)	7439-89-6		1.7289	mg
			Supplier	Copper (Cu)	7440-50-8		64.7693	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0949	mg
Mold Compound-Black	125.78	mg		Epoxy Phenol Resin	proprietary data		17.6092	mg
			Supplier	Carbon Black (C)	1333-86-4		0.6289	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		106.913	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.6289	mg
Plating	2.77	mg	В	Bismuth (Bi)	7440-69-9		0.0166	mg
			Supplier	Tin (Sn)	7440-31-5		2.7534	mg
Wire Bond	1.14	mg	Supplier	Palladium (Pd)	7440-05-3		0.0114	mg
			Supplier	Gold (Au)	7440-57-5		1.1286	mg