ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and	mposition De 05. IPC, Bannockt 1 Pan-American co	c laration ourn, Illinois. A opyright conver	All rights reserved u ntions.	nder both	This docume level parts, th	ent is a declarati he declaration e	on of the subs ncompasses a	stances wi Ill lower le	thin the manufacture evel materials for w	rer listed i hich the n	tem. Note: it nanufacturer	f the item is an as has engineering	sembly with low responsibility.
15,0_01	IPC Web Site for Information on IPC-1752 Standard Form Tyr				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information			
upplier Information													
Company name* Co			Company unique ID			Unique ID Authority				Response Date*			
onsemi										2023-06-06			
Contact Name Title - Contact			ct	Phor		Phone - Contac	ie - Contact*			Email - Contact*			
Product-Env-Stewards F			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - 1			itle - Representative			Phone - Representative*			Email -	Email - Representative*			
roduct-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Item Number			Number Mfr Item Name			Effective Date	Version	Ma	Manufacturing Site		Weight*	UOM	Unit Type
	UC3843	UC3843BVNG ANA SMPS PWM		A CONTROLL	ER	2023-06-06	THD			482.16	mg	Each	
Ianufacturing Proccess Infor	mation												
Terminal Plating / Grid Array	Terminal Plating / Grid Array Material Terminal Bas		Alloy J-STD-020 MSL		L Rating	Peak Process Body Temperatu		perature	Max Time at Peak	Temperat	ure Numb	er of Reflow Cyc	les
Matte Tin (Sn) - annealed		CU Alloy NA			0 C 30		30	secon	ids 3				
omments													
or more information regarding mate	rial composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	2.19	mg	Supplier	Silicon (Si)	7440-21-3		2.19	mg	
Die Attach	8.92	mg	Supplier	Silver (Ag)	7440-22-4		6.69	mg	
			Supplier	Epoxy resins	129915-35-1		2.23	mg	
Lead Frame	139.78	mg	Supplier	Silver (Ag)	7440-22-4		0.9785	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.2796	mg	
			Supplier	Iron (Fe)	7439-89-6		3.6343	mg	
			Supplier	Copper (Cu)	7440-50-8		134.8877	mg	
Mold Compound-Black	317.53	mg		Epoxy Phenol Resin	proprietary data		33.3406	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		284.1893	mg	
Plating	13.56	mg	Supplier	Tin (Sn)	7440-31-5		13.56	mg	
Wire Bond - Au	0.18	mg	Supplier	Gold (Au)	7440-57-5		0.18	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted)