ASSOCIATION CONNECTING LECTRONICS INDUSTRIES	Bannockb	urn, Illinois. A	ll rights reserved untions.	under both	This docum level parts,	ent is a declarati the declaration e	on of the subs ncompasses al	tances within th l lower level ma	e manufacture aterials for wh	er listed ite hich the m	em. Note: anufacture	if the item is an as r has engineering	sembly with lower responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form T   http://www.ipc.org/IPC-175x Distribution				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				als and Mfg Information				
Supplier Information													
Company name*	Company unique ID			Unique ID Authority				Response Date*					
onsemi										2023-06-08			
Contact Name	Name Title - Contact				Phone - Contact*					Email - Contact*			
Product-Env-Stewards Product Env			Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Represe			sentative		Phone - Representative*			Email - Representative*					
Product-Env-Stewards Pro			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Item Num		Number Mfr Item Name			Effective Date	Version	Manufact	Manufacturing Site		Veight*	UOM	Unit Type
	NCP508SQ18T1G L		LDO			2023-06-08		MY1	MY1		.2	mg	Each
Manufacturing Proccess Informatio	n												
Terminal Plating / Grid Array Mater	Terminal Plating / Grid Array Material Terminal Base Allo		Alloy	J-STD-020 MSI	L Rating	Peak Proce	ess Body Tem	perature Max	Гime at Peak ′	Temperatu	ire Num	ber of Reflow Cyc	les
Matte Tin (Sn) - annealed CU Alloy				1		260	С	30		second	ls 3		
Comments													
evel 1 - maximum time at peak temperature	during sol	dering is 10-3	0 seconds										
for more information regarding material cor	nposition <b>p</b>	olease refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
omogeneous Material Weight U		Unit of Measure	Level	el Substance		Exempt	Weight	Unit of Measure	
Die	0.19	mg	Supplier	Silicon (Si)	7440-21-3		0.19	mg	
Die Attach	0.12	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.078	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.042	mg	
Lead Frame	1.92	mg	Supplier	Silver (Ag)	7440-22-4		0.0384	mg	
			В	Nickel (Ni)	7440-02-0		0.697	mg	
			Supplier	Iron (Fe)	7439-89-6		0.9638	mg	
			Supplier	Copper (Cu)	7440-50-8		0.2208	mg	
Mold Compound-Black	3.9	mg		Epoxy resin	proprietary data		0.195	mg	
			Supplier	Phenolic Resin	Proprietary Data		0.195	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.078	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0195	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		3.4125	mg	
Plating	0.05	mg	Supplier	Tin (Sn)	7440-31-5		0.05	mg	
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).