| ASSOCIATION CONNECTING<br>ELECTRONICS INDUSTRIES | PC. Bannockl   | ourn. Illinois. A     | Il rights reserved untions. | under both              | This docume<br>level parts, t | ent is a declara<br>he declaration                                  | tion of the s<br>encompasse | ubstances<br>es all lowe | within the<br>r level mate | manufacture<br>erials for wh    | er listed iten<br>ich the mar | n. Note: if<br>ufacturer           | f the item is an as<br>has engineering | sembly with lowe<br>responsibility. |
|--|--|-----------------------|-----------------------------|-------------------------|-------------------------------|---|-----------------------------|--------------------------|----------------------------|---------------------------------|-------------------------------|------------------------------------|--|-------------------------------------|
|  | .1 IPC Web Site for Information on IPC-1752 Standard Form 7<br>http://www.ipc.org/IPC-175x Distrib |                       |                             |                         | *                             | * Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materia |                             |                          |                            |                                 | als and Mfg Information       |                                    |  |                                     |
| Supplier Information                             |  |                       |                             |                         |                               |   |                             |                          |                            |                                 |                               |                                    |  |                                     |
| Company name* Con                                |  |                       | Company unique ID           |                         |                               | Unique ID Authority   |                             |                          |                            |                                 | Response Date*                |                                    |  |                                     |
| onsemi   |  |                       |                             |                         |                               |   |                             |                          | 2023-06-08                 |                                 |                               |                                    |  |                                     |
| Contact Name Title - Contact                     |  |                       | .t                          |                         |                               | Phone - Contact*  |                             |                          |                            |                                 | Email - Contact*              |                                    |  |                                     |
| Product-Env-Stewards Product En                  |  |                       | Enviro Compliance           |                         |                               | NA  |                             |                          |                            | Product-Env-Stewards@onsemi.com |                               |                                    |  |                                     |
| Authorized Representative* Title - Repres        |  |                       | esentative                  |                         |                               | Phone - Representative*   |                             |                          |                            | Email - Representative*         |                               |                                    |  |                                     |
| Product-Env-Stewards Product Enviro              |  |                       | ro Compliance               |                         |                               | NA  |                             |                          |                            | Product-Env-Stewards@onsemi.com |                               |                                    |  |                                     |
| Requester Item Number                            | mber Mfr Item Numb   |                       | Number Mfr Item Name        |                         |                               | Effective Dat   | e Version                   | on Manufacturing Site    |                            | ing Site                        | We                            | ight*                              | UOM                                    | Unit Type                           |
|  | NCP300   | NCP300HSN27T1G ANA UN |                             | A UNDERVOLT DETECT 2.7V |                               | 2023-06-08  |                             |                          | MY1                        |                                 | 14.                           | 08                                 | mg                                     | Each                                |
| Manufacturing Proccess Informa                   | tion   |                       |                             |                         |                               |   |                             |                          |                            |                                 |                               |                                    |  |                                     |
| Terminal Plating / Grid Array M                  | erminal Plating / Grid Array Material Terminal Base A  |                       | Alloy                       | J-STD-020 MSL Rating    |                               | Peak Pro  | Peak Process Body Temperatu |                          | are Max Time at Peak Tempe |                                 | Femperature                   | emperature Number of Reflow Cycles |  | eles                                |
| Matte Tin (Sn) - annealed CU Alloy               |  | CU Alloy              |                             | 1                       |                               | 260   |                             | С                        | 30                         |                                 | seconds                       | 3                                  |  |                                     |
| omments  |  |                       |                             |                         |                               |   |                             |                          |                            |                                 |                               |                                    |  |                                     |
| vel 1 - maximum time at peak temperat            | ire during so  | ldering is 10-3       | 0 seconds                   |                         |                               |   |                             |                          |                            |                                 |                               |                                    |  |                                     |
| or more information regarding material           | composition  | please refer to       | page 3                      |                         |                               |   |                             |                          |                            |                                 |                               |                                    |  |                                     |

| RoHS Material Composition Declaration  |   |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |
|--|---|--|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). |  |   |   |   |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>v others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the  | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and co<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa   | ances per the definitio  | on above  | Supplier Acceptance                             | * Accepted  |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per  | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU  |  |   |   |   |  |  |  |  |  |  |
| Declaration Signature  |   |  |   |   |   |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester   | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska   | Le   |   |   |   |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material | Weight | Unit of Measure | Level    | Substance                  | CAS              | Exempt | Weight | Unit of Measure |
|----------------------|--------|-----------------|----------|----------------------------|------------------|--------|--------|-----------------|
| Die                  | 0.42   | mg              | Supplier | Silicon (Si)               | 7440-21-3        |        | 0.42   | mg              |
| Die Attach           | 0.11   | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 0.088  | mg              |
|                      |        |                 | Supplier | Phenolic Resin-2           | 54208-63-8       |        | 0.022  | mg              |
| Lead Frame           | 5.78   | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 0.0705 | mg              |
|                      |        |                 | Supplier | Zinc (Zn)                  | 7440-66-6        |        | 0.0069 | mg              |
|                      |        |                 | Supplier | Iron (Fe)                  | 7439-89-6        |        | 0.1358 | mg              |
|                      |        |                 | Supplier | Copper (Cu)                | 7440-50-8        |        | 5.565  | mg              |
|                      |        |                 | Supplier | Phosphorus (P)             | 7723-14-0        |        | 0.0017 | mg              |
| Mold Compound-Black  | 7.34   | mg              |          | Epoxy resin                | proprietary data |        | 0.367  | mg              |
|                      |        |                 | Supplier | Phenolic Resin             | Proprietary Data |        | 0.367  | mg              |
|                      |        |                 | Supplier | Ortho Cresol Novolac Resin | 29690-82-2       |        | 0.1468 | mg              |
|                      |        |                 | Supplier | Carbon Black (C)           | 1333-86-4        |        | 0.0367 | mg              |
|                      |        |                 | Supplier | Fused Silica (SiO2)        | 60676-86-0       |        | 6.4225 | mg              |
| Plating              | 0.39   | mg              | Supplier | Tin (Sn)                   | 7440-31-5        |        | 0.39   | mg              |
| Wire Bond - Au       | 0.04   | mg              | Supplier | Gold (Au)                  | 7440-57-5        |        | 0.04   | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).