| consemi Contact Name Title - Contact Product-Env-Stewards Product-Enviro Compliance Authorized Representative* Title - Representative Phone - Contact* Email - Contact* Product-Env-Stewards@onsemi.com NA Product-Env-Stewards@onsemi.com Email - Representative* Email - Representative* | IPC ASSOCIATION CONNECTIN | © Copyright 2005. I | Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions. | | | | This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility. | | | | | | | | |
|--|---|-----------------------------|---|-------------------|---------------------------|------------------------|---|------------------|-------------------------------|----------------|------------------|---------------------------------|------------------------|-------------------|-----------|
| Company name* Company unique ID Unique ID Authority Description De | 752-21.1 | | | | | | | | | | ials and Mf | g Informat | tion | | |
| Insemi In | upplier Inforr | nation | | | | | | | | · | | | | | |
| Title - Contact Name Product Enviro Compliance Product-Env-Stewards Product Enviro Compliance Product-Env-Stewards Product Enviro Compliance Product-Env-Stewards Product-Env-Stewards Product Enviro Compliance Product-Env-Stewards Product-En | Company name* Company unique ID | | | | | Unique ID Authority | | | | Response Date* | | | | | |
| Product-Env-Stewards Authorized Representative* Product Enviro Compliance Authorized Representative* Authorized Representative* Product Enviro Compliance Authorized Representative* Authoriz | nsemi | | | | | | | | | | | 2023-06- | 08 | | |
| Authorized Representative* Product-Env-Stewards Requester Item Number Representative* Respective Item Number Respe | Contact Name Title - Contact | | | | | | F | Phone - Contact* | | | | Email - Contact* | | | |
| Product Enviro Compliance Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM ESD8101FCT5G Low cap SCR in 01005 DSN 2023-06-08 CNQ 0.04658 mg Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Terminal Plating / Grid Array Material Terminal Base Alloy Terminal Plating / Grid Array Material Terminal Base Alloy Terminal Plating / Grid Array Material Terminal Base Alloy Terminal Base Alloy Terminal Plating / Grid Array Material Terminal Base Alloy Terminal Base All | Product-Env-Stew | ards | | Product Env | Product Enviro Compliance | | | NA | | | | Product-Env-Stewards@onsemi.com | | | |
| Requester Item Number | Authorized Representative* Title - Representative | | | | esentative | Phone - Representative | | | entative* | Email | | | aail - Representative* | | |
| ESD8101FCT5G Low cap SCR in 01005 DSN 2023-06-08 CNQ 0.04658 mg | Product-Env-Stewards Produ | | | | Product Enviro Compliance | | | NA | | | | Product-Env-Stewards@onsemi.com | | | |
| Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycl Matte Tin (Sn) - annealed CU Alloy 1 260 C 30 seconds 3 | Request | er Item Number | Mfr Item Number | | Mfr Item Name | | | Effective Date | te Version Manufacturing Site | | ifacturing Site | V | Veight* | UOM | Unit Type |
| Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycl Matte Tin (Sn) - annealed CU Alloy 1 260 C 30 seconds 3 | | ESD8101FCT5G Low cap SCR in | | Low cap SCR in 01 | 1005 DSN | | 2023-06-08 | 023-06-08 CNQ | | 0 | .04658 | mg | Each | | |
| Matte Tin (Sn) - annealed CU Alloy 1 260 C 30 seconds 3 | | | | Carminal Rasa | Alloy | STD 020 MSL | Dating | Pank Proce | cc Rody Tomp | aratura N | May Time at Peak | Tamparati | ura Numl | har of Paflow Cyc | alac |
| | 2 , | | | • | | 31D-020 MSL | Katilig | | | | | | ber of Kerlow Cyc | 108 | |
| OHIHERS | • | m (Sn) - anneared | | LU Alloy | 1 | | | 200 | <u> </u> C | | U | second | 15 3 | | |
| red 1. marinum time at week temperature during caldering in 10.20 grounds | | time at week town | uno dumina1 | Idonina ia 10 1 | 20 sacands | | | | | | | | | | |
| vel 1 - maximum time at peak temperature during soldering is 10-30 seconds or more information regarding material composition please refer to page 3 | | | | | | | | | | | | | | | |

| RoHS Material Composition Declaration | | | Declaration Type * | Detail | led | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). | | | | | | | | | | | |
| cadmium, hexavalentchromium, polybromir contains a RoHS restricted substance inexce encompass all such components. Supplier ce as of the date that Supplier completes this fo Company acknowledges that Supplier may l independently verified information provided certification in this paragraph. If the Compan | nated biphenyls and/or polybrominated dipless of an applicable quantity limit, please intifies that it gathered the information it prome. Supplier acknowledges that Company have relied on information provided by other by others, Supplier agrees that, at a mining and the Supplier enter into a written agree esource of the Supplier's liability and the | henyl ethers (each a "RoHS restricted substational substance below which, if any, RoHS exemption by desired in this form using appropriate method will rely on this certification in determining ters in completing this form, and that Supplies have provided certification between the will respect to the identified part, the Company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects the company is the company that the company tha | ws of the European Union member states) of the pnce") in excess of the applicable quantity limit ide in you believe may apply. If the part is an assembly is to ensure its accuracy and that such information the compliance of its products with European Union may not have independently verified such informs regarding their contributions to the part, and tho terms and conditions of that agreement, including the provides in this formation information the Supplier provides in this formation. | entified above. If a y with lower level is true and correct on member state la nation. However, in se certifications are any warranty rigl | n homogeneous material within the part components, the declaration shall t to the best of its knowledge and belief, aws that implement the RoHS Directive. In situations where Supplier has not e at least as comprehensive as the hts and/or remedies provided as part of | | | | | | |
| RoHS Declaration * 1 - Item | (s) does not contain RoHS restricted substa | ances per the definition above | Supplier Ac | ceptance * | Accepted | | | | | | |
| Exemption: If the declared item does not applicable exemptions. | contain RoHS restricted substances per | the definition above except for defined Ro | oHS exemptions, then select the corresponding | response in the R | oHS Declaration above and choose all | | | | | | |
| Exemption List Version | EL-2011/534/EU | | | | | | | | | | |
| Declaration Signature | | | | | | | | | | | |
| Instructional Complete all of the required | fields on all neggs of this form. Calcut th | | a duan dawn. This will display the signature on | a Digitally sign | the declaration (if recurined by the | | | | | | |
| Instructions: Complete all of the required Requester) and click on Submit Form to | | | e drop-down. This will display the signature ar | ea. Digitally sign | the declaration (if required by the | | | | | | |

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

| Homogeneous Material | Weight Unit of Measure | | Level | Substance | CAS | AS Exempt | | Unit of Measure |
|----------------------|------------------------|----|----------|---------------|------------------|-----------|--------|-----------------|
| Bump | 0.0061 | mg | Supplier | Tin (Sn) | 7440-31-5 | | 0.0014 | mg |
| | | | Supplier | Copper (Cu) | 7440-50-8 | | 0.0047 | mg |
| Die | 0.0396 | mg | Supplier | Silicon (Si) | 7440-21-3 | | 0.0396 | mg |
| Protection coat | 7.1E-4 | mg | | Polyimide | proprietary data | | 0.0007 | mg |
| Under Bump Metal | 1.7E-4 | mg | Supplier | Titanium (Ti) | 7440-32-6 | | 0 | mg |
| | | | Supplier | Copper (Cu) | 7440-50-8 | | 0.0002 | mg |