ASSOCIATION CONNECTING	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.											
1752-21.1	IPC Web Site for Information on IPC-1752 StandardForm Typehttp://www.ipc.org/IPC-175xDistribute				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and M	als and Mfg Information				
Supplier Informa	tion															
Company name*			Company unique ID				Unique ID Authority					Respon	Response Date*			
onsemi													2023-06-08			
Contact Name	Title - Contact				Phone - Contact*					Email -	Email - Contact*					
Product-Env-Steward	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com						
Authorized Represent	Title - Representative]	Phone - Representative*					Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Requester I	Requester Item Number Mfr Item		Number Mfr Item Name				Effective D	Date V	rsion	Manufacturing Site			Weight	*	UOM	Unit Type
	74LCX652		52MTCX	CX OCTAL TRANS/REG W/TS			2023-06-08	3		PH	PH4		89.202		mg	Each
Manufacturing P	roccess Information	1						1				L				
Terminal Pl	Terminal Plating / Grid Array Material		erminal Base Alloy J-STI		J-STD-020 MS	L Rating	Peak P	k Process Body Temperature		erature	are Max Time at Peak Temper		rature Number of Reflow Cycles		es	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		1) (no C	CU Alloy 1		1		260		C		30 seco		conds 3			
Comments																
evel 1 - maximum tim	ie at peak temperature d	luring sol	dering is 10-3	0 seconds												
or more information	regarding material com	position	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed						
birective 2015/863/EU amending RoHS birective 2011/65/EU birective 2011/											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.736	mg	Supplier	Silicon (Si)	7440-21-3		0.736	mg	
Die Attach	0.08	mg	Supplier	Silver (Ag)	7440-22-4		0.064	mg	
			Supplier	Phenolic Resin-2	54208-63-8		0.016	mg	
Lead Frame	38.024	mg	Supplier	Magnesium (Mg)	7439-95-4		0.057	mg	
			Supplier	Silicon (Si)	7440-21-3		0.247	mg	
			В	Nickel (Ni)	7440-02-0		1.22	mg	
			Supplier	Copper (Cu)	7440-50-8		36.5	mg	
Mold Compound-Black	49.5	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		9.9	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.495	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		39.105	mg	
Plating	0.266	mg	Supplier	Palladium (Pd)	7440-05-3		0.007	mg	
			В	Nickel (Ni)	7440-02-0		0.254	mg	
			Supplier	Gold (Au)	7440-57-5		0.005	mg	
Wire Bond - Au	0.596	mg	Supplier	Gold (Au)	7440-57-5		0.596	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted)